References:

1. Goodman., Gillman's. The Pharmacological basis of Therapeutics, 10th ed. *Pergamon press*, U.S.A., 1996; 1697-1710.
2. Satoskar R.S., Bhandarkar S.D. A text book of pharmacology, 18th ed. 2003; 601-616, 861-890.
3. Santhosh P., Venugopl R., Nilakash A.S., Kunlbihari S., Mangala L. Antidepressant activity of methanolic extract of Passiflora Foetida leaves in mice. *Int J Pharm Pharm Sci.*, 2011; 3(1):112-115.
4. Miura H, Qiao H, Kitagami T, Ohta T. Fluvoxamine, a selective serotonin reuptake inhibitor, suppresses tetrahydrobiopterin in the mouse hippocampus. *Neuropharmacology*, 2004; 46(3):340-8.
5. Krishnaiah Y.S.R., Satyanarayana S., Visweswaram D. Influence of ranitidine on the hypoglycemic activity of tolbutamide and glibenclamide in rabbits. *Ind. J. Physiol. Pharmacol*., 1994; 38:316-318.
6. Rajendra SV et al. Influence of lansoprazole on the hypoglycaemic activity of oral antidiabetic agents in healthy albino rats. *Acta Pharmaceutica Turcica.*, 2004; 46:95-99.
7. Babitha S., Swamy S., Ramesh., Singh J. Potentiation of antidiabetic property of Glipizide by Pantoprazole in albino rats. *Indian drugs*, 2009; 46(9):729-731.
8. Erenmemisoglu A., Ozdogan U.K., Saraymen R., Tutus A. Effect of some antidepressants on glycaemia and insulin levels of normoglycaemic and alloxan-induced hyperglycemic mice. *J.Pharm. Pharmacol.*1999; 51:741-743.

9. Mahasen A., Radwan., Iman Y., Zaghloul., Badraddin M. Al-Hadiyah., Khalil I. Al-Khamis. The influence of Fluvoxamine administration on Glibenclamide pharmacokinetics after multiple oral dosing in rats. *Saudi Pharmaceutical Journal*, 2000; 8(2-3): 116-121.
10. Pascoe W.S., Jenkins A.B., Kusunoki M., Storlien L.H. Insulin action and determinants of glycaemia in a rat model of Type 2 (non-insulin-dependent) diabetes mellitus. *Diabetologia*, 1992; 35(3):208-215.
11. Nayanatara A.K., Nagaraja H.S., Anupama B.K. The effect of repeated swimming stress on organ weights and lipid peroxidation in rats. *Thai journal of physiological sciences*, 2005; 18(1):3-9.
12. Swamy V.K.M., Setty R.S., Shankaraiah M.M., Jyothi T.M., Rajendra S.V. A Study on drug-drug interaction of Esomeprazole and Anti-Diabetic Drugs. *J Young Pharm*. 2010; 2(4):424–427.
13. De Smet J., Boussery K., De Cock P., De Paepe P., Remon J.P., Van Winckel M., Van Bocxlaer J. A bio-analytical hydrophilic interaction LC-MS/MS method for the simultaneous quantification of omeprazole and lansoprazole in human plasma in support of a pharmacokinetic omeprazole study in children. *J Sep Sci*. 2010; 33(6-7):939-47.
14. Basavaraj HC et al. Fixed dose combination of ACE inhibitor and calcium channel blocker combination on normal and uninephrectomized STZ induced diabetic nephropathy in rats. *Journal of Pharmacy Research*, 2011; 4(4):1016-1018.
15. Otobone F.J., Sela V.R. Role of 5-HT 1A receptor in antidepressant like effect of diclomethane fraction of kielmeyera coriacea in rats subjected to the forced swim test. *Ind. J. Pharmacol*., 2007; 39(2):75-79.

16. Porso et al. Behavioral despair in rats: a new model sensitive to antidepressant treatment. *Eur. J. Pharmacol*., 1978; 47:379-391.
17. Shui-Juan Zhang., Yang-Mei Deng., Yi-Liang Zhu., Xin-Wei Dong., Jun-Xia Jiang., Qiang-Min Xie. Intracerebroventricular injection of leukotriene B4 attenuates antigen-induced asthmatic response via BLT1 receptor stimulating HPA-axis in sensitized rats. *Respiratory Research,* 2010; 11:1-9.
18. Kehkashan Parveen., Waseem Ahmad Siddiqui. Protective effect of Butea Monosperma on high-fat diet and streptozotocin induced nongenetic rat model of type 2 diabetes: biochemical and histological evidences. *Int J Pharm Pharm Sci*, 2011; 3(3):74-81.
19. Alfred Lim W.Y., Chia Y.Y., Liong S.Y., Ton S.H., Kadir K.A., HusainA.S. Lipoprotein lipase expression, serum lipid and tissue lipid deposition in orally-administered glycyrrhizic acid-treated rats. *Lipids in Health and Disease*, 2009; 8:1-10.
20. Ali Khan M.S., Hussain S.A., Mat Jais A.M., Zakaria Z.A., Mohib Khan. Anti-ulcer activity of Ficus religiosa stem bark ethanolic extract in rats. *J. Med. Plants Res*., 2011; 5(3):354-359.
21. Feng L.Y., Li Y., Kun X.Y., Ming Y., Min Y.Z., Pu L.Z. Antistress effect of oligosaccharides extract from Morinda officinalis in mice and rats. *Acta Pharmacol Sin*., 2001; 22(12):1084-1088.

(MR. JAIDEEP SINGH) (DR. SAMIR C. PATEL)

Name of the Scholar/Student **Research Guide**